

CONTENTS

(Abstracts/contents lists published in: *Chem. Abstr.*; *Curr. Contents*; *Phys. Chem. Earth Sci.*, *Life Sci.*)

Foreword	vii
Solid-state ^{13}C -n.m.r. and electron microscopy study on the reversible cellulose I \rightarrow cellulose III ₁ transformation in <i>Valonia</i> H. CHANZY, B. HENRISSAT (St. Martin d'Hères, France), M. VINCENDON (Grenoble, France), S. F. TANNER, AND P. S. BELTON (Norwich, Gt. Britain)	1
The molecular size and shape of xanthan, xylinan, bronchial mucin, alginate, and amylose as revealed by electron microscopy B. T. STOKKE, A. ELGSAETER, G. SKJÅK-BRÆK, AND O. SMIDSRØD (Trondheim, Norway)	13
Structural study of amylose polymorphs by cross-polarization-magic-angle spinning, ^{13}C -n.m.r. spectroscopy F. HORII, H. YAMAMOTO, A. HIRAI, AND R. KITAMARU (Kyoto, Japan)	29
Correlation of ^{13}C chemical shifts with torsional angles from high-resolution, ^{13}C -c.p.-m.a.s. n.m.r. studies of crystalline cyclomalto-oligosaccharide complexes, and their relation to the structures of the starch polymorphs R. P. VEREGIN, C. A. FYFE (Guelph, Ont., Canada), R. H. MARCHESSAULT, AND M. G. TAYLOR (Mississauga, Ont., Canada)	41
Observations on n.m.r. spectra of starches in dimethyl sulfoxide, iodine-complexing, and solvation in water-dimethyl sulfoxide Q.-J. PENG AND A. S. PERLIN, (Montreal, Que., Canada)	57
Carbon-13 magnetic relaxation and local chain motion of amylose in dimethyl sulfoxide P. DAIS (Montreal, Que., Canada)	73
Retrogradation kinetics of waxy-corn and potato starches; a rapid, Raman-spectroscopic study B. J. BULKIN, Y. KWAK (Brooklyn, NY, U.S.A.), AND I. C. M. DEA (Bedford, Gt. Britain)	95
Band assignments in the Raman spectra of celluloses J. H. WILEY AND R. H. ATALLA (Appleton, WI, U.S.A.)	113
Conformation of (1 \rightarrow 6)- β -D-glucan by vacuum-ultraviolet circular dichroism E. S. STEVENS AND B. K. SATHYANARAYANA (Binghamton, NY, U.S.A.)	131
Stereochemistry of nonreducing disaccharides in solution I. TVAROŠKA AND Ľ. VÁCLAVÍK (Bratislava, Czechoslovakia)	137
The conformation of glycans of the oligo-D-mannosidic type, and their interaction with concanavalin A: a computer-modelling study M. BISWAS, Y. C. SEKHARUDU, AND V. S. R. RAO (Bangalore, India)	151
Synthesis of 6-deoxymaltooligosaccharides and a study of their lipid-binding properties DE-PEI LU, C. E. BALLOU (Berkeley, CA, U.S.A.), J. DEFAYE (Saint Martin d'Hères, France), AND A. DELL (London, Gt. Britain)	171

(Continued overleaf)

(contents continued)

Phosphorolytic syntheses with di-, oligo- and multi-functional primers G. ZIEGAST AND B. PFANNEMÜLLER (Freiburg, F.R.G.)	185
Degrees of long-chain branching in dextrans T. KUGE, K. KOBAYASHI, S. KITAMURA, AND H. TANAHASHI (Kyoto, Japan)	205
Evaluation of root-mean-square radius of gyration as a parameter for universal calibration of polysaccharides M. L. FISHMAN, W. C. DAMERT, J. G. PHILLIPS, AND R. A. BARFORD (Philadelphia, PA, U.S.A.)	215
The concentration dependence of the sedimentation rate of amylose, cellulose, and dextran in aqueous solution H. ELMGREN (Uppsala, Sweden)	227
Isotope effect on the order-disorder transition in aqueous schizophyllan T. ITOU, A. TERAMOTO, T. MATSUO, AND H. SUGA (Osaka, Japan)	243
Comparative behavior of the bacterial polysaccharides xanthan and succinoglycan G. GRAVANIS, M. MILAS, M. RINAUDO, AND B. TINLAND (Saint Martin d'Hères, France)	259
Thermally induced conformational change of xanthan in 0.01M aqueous sodium chloride W. LIU, T. SATO, T. NORISUYE, AND H. FUJITA (Osaka, Japan)	267
The influence of side-chains on the dilute-solution properties of three structurally related, bacterial anionic polysaccharides V. CRESCENZI, M. DENTINI (Rome, Italy), AND I. C. M. DEA (Bedford, Gt. Britain)	283
The influence of sidechains on the calculated dimensions of three related bacterial polysaccharides T. A. TALASHEK AND D. A. BRANT (Irvine, CA, U.S.A.)	303
Light-scattering studies of fractionated ovine submaxillary mucins R. L. SHOGREN, N. JENTOFT, T. A. GERKEN, A. M. JAMIESON, AND J. BLACKWELL (Cleveland, OH, U.S.A.)	317
Thermal and solvent stability of proteoglycan aggregates by quasielastic laser light-scattering A. M. JAMIESON, J. BLACKWELL, H. REIHANIAN, H. OHNO, R. GUPTA, D. A. CARRINO, A. I. CAPLAN (Cleveland, OH, U.S.A.), L. H. TANG, AND L. C. ROSENBERG (Bronx, NY, U.S.A.)	329
Binding of divalent cations to oligomeric fragments of pectin R. KOHN (Bratislava, Czechoslovakia)	343
Polyelectrolytic effects in carboxylic derivatives of natural polysaccharides A. CESÀRO, F. DELBEN, A. FLAIBANI, AND S. PAOLETTI (Trieste, Italy)	355
Structural and rheological investigations on the lyotropic, liquid-crystalline system: <i>O</i> -ethyl-cellulose-acetic acid-dichloroacetic acid P. ZUGENMAIER AND P. HAURAND (Clausthal-Zellerfeld, F.R.G.)	369
Structure and gelation of <i>Rhizobium</i> capsular polysaccharide M. J. GIDLEY, I. C. M. DEA, G. EGGLESTON, AND E. R. MORRIS (Bedford, Gt. Britain)	381
Investigations of the n.m.r. relaxation of aqueous gels of the carrageenan family and of the effect of ionic content and character G. P. LEWIS, W. DERBYSHIRE (Nottingham, Gt. Britain), S. ABLETT, P. J. LILLFORD, AND I. T. NORTON (Bedford, Gt. Britain)	397

(Continued on facing page)

(contents continued)

X-Ray fibre-diffraction studies of synergistic, binary polysaccharide gels P. CAIRNS, M. J. MILES, V. J. MORRIS, AND G. J. BROWNSEY (Norwich, Gt. Britain)	411
X-Ray diffraction study of sulfuric, nitric, and halogen acid salts of chitosan K. OGAWA AND S. INUKAI (Osaka, Japan)	425
<i>Note</i>	
Triple-stranded, left-hand-twisted cellulose microfibril G. C. RUBEN (Hanover, NH, U.S.A.) AND G. H. BOKELMAN (Richmond, VA, U.S.A.)	434
<i>Preliminary communications</i>	
Asymmetric induction in the Eu(fod) ₃ -mediated high-pressure (4 + 2)cycloaddition of 1-methoxybuta-1,3-diene to 2,3-di- <i>O</i> -benzyl-D-glyceraldehyde J. JURCZAK AND T. BAUER (Warszawa, Poland)	c1
Preparation and nucleophilic addition reactions of methyl 4,6- <i>O</i> -benzylidene-2,3-dideoxy-2- <i>C</i> -p-tolylsulfonyl- β -D-erythro-hex-2-enopyranoside: synthetic utility of α -sulfonylalkene intermediates in carbohydrate chemistry T. SAKAKIBARA (Yokohama, Japan), I. TAKAI, Y. TACHIMORI, A. YAMAMOTO, Y. ISHIDO, AND R. SUDOH (Tokyo, Japan)	c3
3,7-Anhydro-2-azi-1,2-dideoxy-D-glycero-L-manno-octitol, a photoaffinity label for β -D-galactosidase from <i>E. coli</i> C.-S. KUHN AND J. LEHMANN (Freiburg i.Br., F.R.G.)	c6
<i>Announcement</i>	c9
<i>Author index Volume 160</i>	c11
<i>Subject index Volume 160</i>	c13
<i>Cumulative author index Volumes 141-160</i>	c15

INFORMATION FOR AUTHORS

For the full Instructions to Authors see *Carbohydr. Res.*, 132 (1984) 185-199; these should be consulted when preparing manuscripts for submission.

Papers should deal with original work not published elsewhere in an accessible language. Manuscripts (3 copies) should be prepared in double-spaced typing; this includes legends to Figures, references, and footnotes.

Flexibility in presentation of results will be allowed and the general style of preparation should be similar to that adopted in this issue. Careful attention must be paid to nomenclature, which should conform to the British-American Rules of Carbohydrate Nomenclature [*J. Org. Chem.*, 28 (1963) 281; *J. Chem. Soc.*, (1962) 5307] until there is full international agreement by the International Union of Pure and Applied Chemistry.

References should be given at the end of the paper; they should be numbered and the numbers should appear in the text at the appropriate places as superscripts without parentheses. The abbreviation of journal titles should conform to those adopted by the *Bibliographic Guide for Editors and Authors*, Chemical Abstracts Service, Columbus, OH 43210, and should be followed by volume number, year (in parentheses) and inclusive pagination. For example: *Carbohydr. Res.*, 6 (1968) 63-74. Each paper should have an abstract of 80-200 words. For papers in French or German, an English abstract should be supplied.

Line drawings should be in a form suitable for reproduction, drawn in Indian ink on drawing paper or tracing paper. Each drawing should be on a separate sheet and not glued to the manuscript or drawn on the manuscript page.

Photographs should be submitted as clear black-and-white prints on glossy paper.

Tables, and a list of legends to the illustrations, should be typed on separate pages of the manuscript.

